

AMENDMENTS TO THE CLAIMS:

This listing of claims will replace all prior versions, and listings, of claims in the application. Please cancel claims 5, 8-13 and 16 without prejudice, amend claims 1, 6, 7, 14, 17 and 18 and add new claims 19-24 as follows:

LISTING OF CLAIMS:

1. (Currently Amended) An image processor converting M-valued image data of a target pixel to N ($M > N$)-valued image data by error diffusion, comprising:

correction means correcting said M-valued image data of said target pixel with reference to an N-valued error resulting from N-arization of peripheral pixels for said target pixel and generating corrected image data;

N-arization means comparing said corrected image data with a threshold and converting said corrected image data to N-valued image data of said target pixel;
and

output means performing multivalued dithering on said corrected image data and outputting an N-valued error having a smaller bit number than said corrected image data ~~by multivalued dithering on the basis of said corrected image data and~~ said N-valued image data.

2. (Original) The image processor according to claim 1, further comprising:

storage means storing said N-valued error output from said output means.

3. (Original) The image processor according to claim 2, wherein said correction means computes an average weighted error on the basis of said N-valued error of said peripheral pixels for said target pixel stored in said storage means and weighting factors, and performs correction on the basis of said average weighted error.

4. (Original) The image processor according to claim 3, wherein a relation $m=2^n$ holds between the number n of bit reduction by said multivalued dithering and the sum m of said weighting factors.

5. (Canceled)

6. (Currently Amended) The image processor according to claim 5 1, wherein said output means generates said N-valued error on the basis of said corrected image data subjected to said multivalued dithering and said n-valued image data.

7. (Currently Amended) ~~The~~ An image processor ~~according to claim 1,~~ converting M-valued image data of a target pixel to N (M > N)-valued image data by error diffusion, comprising:

correction means correcting said M-valued image data of said target pixel with reference to an N-valued error resulting from N-arization of peripheral pixels for said target pixel and generating corrected image data;

N-arization means comparing said corrected image data with a threshold and converting said corrected image data to N-valued image data of said target pixel;

and

output means outputting an N-valued error having a smaller bit number than said corrected image data by multivalued dithering on the basis of said corrected image data and said N-valued image data, wherein

said output means includes means performing multivalued dithering on difference data between said corrected image data and data based on said N-valued image data.

8. (Canceled)

9. (Canceled)

10. (Canceled)

11. (Canceled)

12. (Canceled)

13. (Canceled)

14. (Currently Amended) An image processing method of converting M-valued image data of a target pixel to N ($M > N$)-valued image data by error diffusion, comprising steps of:

correcting said M-valued image data of said target pixel with reference to an N-valued error resulting from N-arization of peripheral pixels for said target pixel and generating corrected image data;

comparing said corrected image data with a threshold and converting said corrected image data to N-valued image data of said target pixel;

performing multivalue dithering on said corrected image; and

outputting an N-valued error having a smaller bit number than said corrected image data on the basis of said corrected image data and said N-valued image data.

15. (Original) The image processing method according to claim 14, further including:

a step of computing an average weighted error on the basis of said N-valued error of said peripheral pixels for said target pixel and weighting factors,

for generating said corrected image data on the basis of said average weighted error.

16. (Canceled)

17. (Currently Amended) The image processing method according to claim ~~16~~ 14, wherein

said N-valued error is generated on the basis of said corrected image data subjected to said multivalued dithering and said N-valued image data.

18 (Currently Amended) ~~The~~ An image processing method ~~according to claim 14,~~ of converting M-valued image data of a target pixel to N ($M > N$)-valued image data by error diffusion, comprising steps of:

correcting said M-valued image data of said target pixel with reference to an N-valued error resulting from N-arization of peripheral pixels for said target pixel and generating corrected image data;

comparing said corrected image data with a threshold and converting said corrected image data to N-valued image data of said target pixel;

outputting an N-valued error having a smaller bit number than said corrected image data on the basis of said corrected image data and said N-valued image data;
and further including:

a step of performing multivalued dithering on difference data between said corrected image data and data based on said N-valued image data.

19. (New) An image processor converting M-valued image data of a target pixel to N ($M > N$)-valued image data by error diffusion, comprising:

correction device correcting said M-valued image data of said target pixel with reference to an N-valued error resulting from N-arization of peripheral pixels for said target pixel and generating corrected image data;

N-arization device comparing said corrected image data with a threshold and converting said corrected image data to N-valued image data of said target pixel;
and

output device performing multivalued dithering on said corrected image data and outputting an N-valued error having a smaller bit number than said corrected image data on the basis of said corrected image data and said N-valued image data.

20. (New) The image processor according to claim 19, further comprising:
storage device storing said N-valued error output from said output device.

21. (New) The image processor according to claim 20, wherein
said correction device computes an average weighted error on the basis of
said N-valued error of said peripheral pixels for said target pixel stored in said
storage device and weighting factors, and performs correction on the basis of said
average weighted error.

22. (New) The image processor according to claim 21, wherein
a relation $m=2^n$ holds between the number n of bit reduction by said
multivalued dithering and the sum m of said weighting factors.

23. (New) The image processor according to claim 19, wherein
said output device generates said N-valued error on the basis of said
corrected image data subjected to said multivalued dithering and said n-valued
image data.

24. (New) An image processor converting M-valued image data of a target
pixel to N ($M > N$)-valued image data by error diffusion, comprising:

correction part correcting said M-valued image data of said target pixel with
reference to an N-valued error resulting from N-arization of peripheral pixels for said
target pixel and generating corrected image data;

N-arization part comparing said corrected image data with a threshold and converting said corrected image data to N-valued image data of said target pixel; and

output part outputting an N-valued error having a smaller bit number than said corrected image data by multivalued dithering on the basis of said corrected image data and said N-valued image data, wherein

said output part includes multivalued determining part performing multivalued dithering on difference data between said corrected image data and data based on said N-valued image data.